


Werkzeuge aus rostfreiem Stahl

STAINLESS STEEL TOOLS

304 / 420




Ring-Gabelschlüssel
Stainless Wrench,Combination




ART.NR.	SPECIFICATION		N.W. (g)
STAINLESS	Size(mm)	L(mm)	STAINLESS
ST8101-6	6	105	18
ST8101-7	7	120	40
ST8101-8	8	120	40
ST8101-9	9	135	45
ST8101-10	10	135	45
ST8101-11	11	150	65
ST8101-12	12	150	65
ST8101-13	13	175	90
ST8101-14	14	175	90
ST8101-15	15	195	140
ST8101-16	16	195	140
ST8101-17	17	195	140
ST8101-18	18	215	180
ST8101-19	19	215	180
ST8101-20	20	215	180
ST8101-21	21	245	280
ST8101-22	22	245	280
ST8101-23	23	265	320
ST8101-24	24	265	320
ST8101-25	25	265	320
ST8101-26	26	290	430
ST8101-27	27	290	430
ST8101-30	30	320	530
ST8101-32	32	340	780
ST8101-34	34	360	960
ST8101-36	36	360	960
ST8101-38	38	430	1300
ST8101-41	41	430	1300
ST8101-46	46	480	1760
ST8101-50	50	520	2020
ST8101-55	55	560	2000
ST8101-60	60	595	2920
ST8101-65	65	595	3440

Ring-Gabelschlüssel
Stainless Wrench, Combination




ART.NR.	SPECIFICATION		N.W. (g)
STAINLESS	Size(mm)	L(mm)	STAINLESS
ST8101A-6	6	105	18
ST8101A-7	7	120	40
ST8101A-8	8	120	40
ST8101A-9	9	135	45
ST8101A-10	10	135	45
ST8101A-11	11	150	65
ST8101A-12	12	150	65
ST8101A-13	13	175	90
ST8101A-14	14	175	90
ST8101A-15	15	195	140
ST8101A-16	16	195	140
ST8101A-17	17	195	140
ST8101A-18	18	215	180
ST8101A-19	19	215	180
ST8101A-20	20	215	180
ST8101A-21	21	245	280
ST8101A-22	22	245	280
ST8101A-23	23	265	320
ST8101A-24	24	265	320
ST8101A-25	25	265	320
ST8101A-26	26	290	430
ST8101A-27	27	290	430
ST8101A-30	30	320	530
ST8101A-32	32	340	780
ST8101A-34	34	360	960
ST8101A-36	36	360	960
ST8101A-38	38	430	1300
ST8101A-41	41	430	1300
ST8101A-46	46	480	1760
ST8101A-50	50	520	2020
ST8101A-55	55	560	2000
ST8101A-60	60	595	2920
ST8101A-65	65	595	3440

Doppel-Gabelschlüssel
Stainless Wrench,Double Open End




ART.NR.	SPECIFICATION		N.W. (g)
STAINLESS	Size(mm)	L(mm)	STAINLESS
ST8102-0607	6*7	92	25
ST8102-0709	7*9	96	28
ST8102-0810	8*10	100	34
ST8102-0911	9*11	110	50
ST8102-1012	10*12	120	60
ST8102-1214	12*14	130	75
ST8102-1417	14*17	150	120
ST8102-1719	17*19	170	150
ST8102-1922	19*22	185	220
ST8102-2224	22*24	210	312
ST8102-2427	24*27	230	345
ST8102-2528	25*28	236	365
ST8102-2730	27*30	250	485
ST8102-3032	30*32	265	610
ST8102-3234	32*34	270	815
ST8102-3236	32*36	300	885
ST8102-3436	34*36	300	885
ST8102-3638	36*38	330	1350
ST8102-3641	36*41	330	1350
ST8102-4146	41*46	360	1690

Doppel-Gabelschlüssel
Stainless Wrench,Double Open End




ART.NR.	SPECIFICATION		N.W. (g)
STAINLESS	S(mm)	L(mm)	STAINLESS
ST8102A-0607	6*7	120	25
ST8102A-0709	7*9	135	35
ST8102A-0810	8*10	145	45
ST8102A-1012	10*12	165	70
ST8102A-1214	12*14	180	95
ST8102A-1417	14*17	195	120
ST8102A-1719	17*19	210	165
ST8102A-1922	19*22	225	220
ST8102A-2224	22*24	250	312
ST8102A-2427	24*27	270	400
ST8102A-2730	27*30	290	540
ST8102A-3032	30*32	310	740
ST8102A-3236	32*36	330	900
ST8102A-3436	34*36	345	970

Gabelschlüssel
Stainless Wrench, Single Open End



ART.NR.	SPECIFICATION		N.W. (g)
	S(mm)	L(mm)	
ST8103-8	8	95	40
ST8103-10	10	105	50
ST8103-12	12	125	65
ST8103-14	14	140	95
ST8103-17	17	160	105
ST8103-19	19	170	130
ST8103-22	22	195	170
ST8103-24	24	220	190
ST8103-27	27	240	285
ST8103-30	30	260	320
ST8103-32	32	275	400
ST8103-34	34	290	455
ST8103-36	36	310	530
ST8103-41	41	345	615
ST8103-46	46	375	950

Gabelschlüssel
Stainless Wrench, Construction Offset Type With Pin




ART.NR.	SPECIFICATION		N.W. (g)
	S(mm)	L(mm)	
ST8105-17	17	320	210
ST8105-19	19	350	320
ST8105-22	22	350	430
ST8105-24	24	370	480
ST8105-27	27	370	640
ST8105-30	30	400	800
ST8105-32	32	400	800
ST8105-36	36	430	950
ST8105-41	41	470	1270
ST8105-46	46	500	1600

Doppel-Ringschlüssel
Stainless Wrench, Double Box Offset




ART.NR.	SPECIFICATION		N.W. (g)
	Size(mm)	L(mm)	
ST8107A-0810	8*10	190	55
ST8107A-1012	10*12	200	85
ST8107A-1214	12*14	220	151
ST8107A-1417	14*17	255	205
ST8107A-1719	17*19	280	225
ST8107A-1922	19*22	300	310
ST8107A-1924	19*24	320	355
ST8107A-2224	22*24	330	455
ST8107A-2427	24*27	340	520
ST8107A-2730	27*30	350	705
ST8107A-3032	30*32	370	805
ST8107A-3236	32*36	430	1145
ST8107A-3641	36*41	470	1600

Gabelschlüssel
Stainless Wrench, Construction



ART.NR.	SPECIFICATION		N.W. (g)
	S(mm)	L(mm)	
ST8104-17	17	320	210
ST8104-19	19	350	320
ST8104-22	22	350	430
ST8104-24	24	370	480
ST8104-27	27	370	640
ST8104-30	30	400	800
ST8104-32	32	400	800
ST8104-36	36	430	950
ST8104-41	41	470	1270
ST8104-46	46	500	1600

Schlag-Gabelschlüssel
Stainless Wrench, Striking Open




ART.NR.	SPECIFICATION		N.W. (g)
	S(mm)	L(mm)	
ST8106-17	17	125	150
ST8106-19	19	125	150
ST8106-22	22	135	195
ST8106-24	24	150	245
ST8106-27	27	175	335
ST8106-30	30	190	435
ST8106-32	32	190	515
ST8106-36	36	210	800
ST8106-41	41	230	955
ST8106-46	46	250	1225
ST8106-50	50	275	1560
ST8106-55	55	305	1850
ST8106-60	60	315	2190
ST8106-65	65	335	3060

Doppel-Ringschlüssel
Stainless Wrench, Double Flat Box




ART.NR.	SPECIFICATION		N.W. (g)
	S ₁ *S ₂ (mm)	L(mm)	
ST8108-0810	8*10	115	32
ST8108-0911	9*11	125	37
ST8108-1012	10*12	140	55
ST8108-1214	12*14	145	70
ST8108-1417	14*17	165	100
ST8108-1719	17*19	185	132
ST8108-1922	19*22	200	180
ST8108-2224	22*24	220	240
ST8108-2427	24*27	255	320
ST8108-2730	27*30	280	385
ST8108-3032	30*32	295	465
ST8108-3036	30*36	330	600
ST8108-3641	36*41	365	935

Ringschlüssel
Stainless Wrench, Single Box




ART.NR.	SPECIFICATION		N.W. (g)
	S(mm)	L(mm)	
ST8109-8	8	110	40
ST8109-10	10	120	50
ST8109-12	12	130	65
ST8109-14	14	140	90
ST8109-17	17	155	105
ST8109-19	19	170	130
ST8109-22	22	190	175
ST8109-24	24	215	220
ST8109-27	27	230	270
ST8109-30	30	255	370
ST8109-32	32	265	425
ST8109-36	36	295	550
ST8109-41	41	330	825
ST8109-46	46	365	1120
ST8109-50	50	400	1270
ST8109-55	55	445	1590
ST8109-60	60	474	1850
ST8109-65	65	510	2060

Ringschlüssel
Stainless Wrench, Single Bent Box



ART.NR.	SPECIFICATION		N.W. (g)
	S(mm)	L(mm)	
ST8110-10	10	119	45
ST8110-12	12	151	50
ST8110-14	14	151	60
ST8110-16	16	174	90
ST8110-17	17	174	90
ST8110-19	19	207	195
ST8110-22	22	207	180
ST8110-24	24	250	300
ST8110-27	27	250	270
ST8110-30	30	295	420
ST8110-32	32	295	420
ST8110-34	34	307	600
ST8110-36	36	307	600
ST8110-38	38	340	830
ST8110-41	41	340	810
ST8110-46	46	370	930
ST8110-50	50	400	1300
ST8110-55	55	430	1650
ST8110-60	60	450	2100
ST8110-65	65	470	2360

Ringschlüssel
Stainless Wrench, Single Box Offset




ART.NR.	SPECIFICATION		N.W. (g)
	S(mm)	L(mm)	
ST8111-22	22	190	185
ST8111-24	24	215	235
ST8111-27	27	230	270
ST8111-30	30	255	430
ST8111-32	32	265	450
ST8111-36	36	295	610
ST8111-41	41	330	855
ST8111-46	46	365	1000

Schlag-Ringschlüssel
Stainless Wrench, Striking Box




Ringschlüssel
Stainless Wrench, Construction



ART.NR.	SPECIFICATION		N.W. (g)
	S(mm)	L(mm)	
ST8112-14	14	270	145
ST8112-17	17	310	200
ST8112-19	19	330	250
ST8112-22	22	350	320
ST8112-24	24	370	400
ST8112-27	27	400	500
ST8112-30	30	430	730
ST8112-32	32	430	700
ST8112-36	36	460	900
ST8112-41	41	490	1090
ST8112-46	46	520	1560


Schlag-Ringschlüssel
Stainless Wrench, Striking Box Bent



ART.NR.	SPECIFICATION		N.W. (g)
	S(mm)	L(mm)	
ST8113-17	17	145	210
ST8113-19	19	145	210
ST8113-22	22	155	235
ST8113-24	24	165	235
ST8113-27	27	175	350
ST8113-30	30	185	475
ST8113-32	32	185	490
ST8113-34	34	200	540
ST8113-36	36	205	580
ST8113-38	38	215	680
ST8113-41	41	225	755
ST8113-46	46	235	990
ST8113-50	50	250	1145
ST8113-55	55	265	1440
ST8113-60	60	274	1620
ST8113-65	65	298	1995
ST8113-70	70	320	2435
ST8113-75	75	326	3010
ST8113-80	80	350	3600


ITEM CODE	SPECIFICATION		N.W. (g)
	S(mm)	L(mm)	
ST8114-24	24	160	280
ST8114-27	27	175	370
ST8114-30	30	190	525
ST8114-32	32	190	500
ST8114-36	36	210	630
ST8114-41	41	225	750
ST8114-46	46	240	1160
ST8114-50	50	255	1240
ST8114-55	55	270	1450
ST8114-60	60	285	1820
ST8114-65	65	300	2645
ST8114-70	70	320	2960

Rollgabelschlüssel
Stainless Wrench, Adjustable




ART.NR.	SPECIFICATION		N.W. (g)
	L(mm)	Kmax(mm)	
ST8115-1002	100	13	40
ST8115-1004	150	18	145
ST8115-1006	200	24	265
ST8115-1008	250	30	410
ST8115-1010	300	36	650
ST8115-1012	375	46	1410
ST8115-1014	450	55	2070
ST8115-1016	600	60	4705

Rollgabelschlüssel
Stainless Wrench, Monkey




ART.NR.	SPECIFICATION		N.W. (g)
	L(mm)	Kmax(mm)	
ST8118-1002	240	45	510
ST8118-1004	254	48	615
ST8118-1006	305	58	910
ST8118-1008	350	65	1220
ST8118-1010	380	70	1465

6-kant Winkelschraubendreher
Stainless Wrench, Hex Key




ART.NR.	SPECIFICATION		N.W. (g)
	S(mm)	L(mm)	
ST8120-1.5	1.5	59	8
ST8120-2	2	59	8
ST8120-2.5	2.5	59	8
ST8120-3	3	59	8
ST8120-4	4	65	10
ST8120-5	5	79	16
ST8120-6	6	85	25
ST8120-7	7	88	34
ST8120-8	8	92	50
ST8120-9	9	97	61
ST8120-10	10	110	82
ST8120-11	11	119	100
ST8120-12	12	130	145
ST8120-13	13	140	180
ST8120-14	14	150	211
ST8120-15	15	156	260
ST8120-16	16	162	300
ST8120-17	17	168	370
ST8120-18	18	173	450
ST8120-19	19	177	490
ST8120-21	21	184	652
ST8120-22	22	186	675
ST8120-24	24	192	825
ST8120-25	25	200	925
ST8120-26	26	206	1025
ST8120-27	27	213	1220
ST8120-28	28	222	1350
ST8120-30	30	240	1615
ST8120-32	32	266	2065
ST8120-36	36	294	2905
ST8120-41	41	320	4120

Rollgabelschlüssel
Stainless Wrench, Pipe (British Type)




ART.NR.	SPECIFICATION		N.W. (g)
	L(mm)	Kmax(mm)	
ST8116A-1002	250	30	550
ST8116A-1004	300	40	820
ST8116A-1006	350	50	1100
ST8116A-1008	450	60	1700
ST8116A-1010	600	75	2710
ST8116A-1012	900	100	4950

Rollgabelschlüssel
Stainless Motor Wrench



ART.NR.	SPECIFICATION		N.W. (g)
	Kmax(mm)	L(mm)	
ST8119-62	62	250	575
ST8119-78	78	280	860
ST8119-82	82	375	1430

Kettenschlüssel
Stainless Chain Wrench




ART.NR.	SPECIFICATION		N.W. (g)
	L(mm)	D(mm)	
ST8117A-1002	600	100	2000
ST8117A-1004	600	200	2500
ST8117A-1006	900	300	4500
ST8117A-1008	900	400	5200

6-kant-T-Schlüssel mit Kugel
Stainless Wrench T Ball Hex Key




ART.NR.	SPECIFICATION		N.W. (g)
	S(mm)		
ST8120A-1002	3		55
ST8120A-1004	4		75
ST8120A-1006	5		85
ST8120A-1008	6		100
ST8120A-1010	7		115
ST8120A-1012	8		125
ST8120A-1014	9		135
ST8120A-1016	10		150

6-kant Schlüssel
Stainless Wrench, Hex Key




ART.NR.	SPECIFICATION		N.W. (g)
	S(mm)		
ST8120B-1002	3		55
ST8120B-1004	4		75
ST8120B-1006	5		85
ST8120B-1008	6		100
ST8120B-1010	7		115
ST8120B-1012	8		125
ST8120B-1014	9		135
ST8120B-1016	10		150

6-kant-T-Schlüssel
Stainless Wrench T Hex Key




ART.NR.	SPECIFICATION		N.W. (g)
	S(mm)		
ST8120C-1002	1.5		50
ST8120C-1004	2		55
ST8120C-1006	2.5		60
ST8120C-1008	3		80
ST8120C-1010	4		100
ST8120C-1012	5		120
ST8120C-1014	6		180
ST8120C-1016	8		220
ST8120C-1018	10		250

Ventil-Schlüssel, c-Type
Stainless Valve Wrench, C Type




ART.NR.	SPECIFICATION			N.W. (g)
	L(mm)	S ₁ (mm)	S ₂ (mm)	
ST8121-1002	200	14.5	18.5	370
ST8121-1004	250	17.5	25.5	635

Hakenschlüssel
Stainless Wrench, Hook




ART.NR.	SPECIFICATION		N.W. (g)
	D(mm)	L(mm)	
ST8123-1002	30-32	136	60
ST8123-1004	34-36	170	90
ST8123-1006	40-42	170	100
ST8123-1008	45-50	206	150
ST8123-1010	52-55	206	160
ST8123-1012	58-62	242	210
ST8123-1014	68-75	242	250
ST8123-1016	80-90	280	370
ST8123-1018	95-100	280	410
ST8123-1020	110-115	334	700
ST8123-1022	120-130	334	750
ST8123-1024	135-145	383	1050

Ventil-Schlüssel
Stainless Valve Wrench, C Type




ART.NR.	SPECIFICATION		N.W. (g)
	L(mm)	S(mm)	
ST8122-1002	450	40	1205

Haken-Schlüssel
Stainless Hook Wrench With Pin




ART.NR.	SPECIFICATION		N.W. (g)
	D(mm)	L(mm)	
ST8124-1002	30-32	136	63
ST8124-1004	34-36	171	95
ST8124-1006	40-42	171	105
ST8124-1008	45-50	207	160
ST8124-1010	52-55	207	170
ST8124-1012	58-62	243	225
ST8124-1014	68-75	243	265
ST8124-1016	80-90	281	375
ST8124-1018	95-100	281	415
ST8124-1020	110-115	333	770

Hakenschlüssel, verstellbar
Stainless Hook Wrench, Adjustable




ART.NR.	SPECIFICATION		N.W. (g)
	D(mm)	L(mm)	
ST8124B-1002	20-35	165	115
ST8124B-1004	35-60	190	150
ST8124B-1006	60-90	280	350
ST8124B-1008	90-155	330	650
ST8124B-1010	155-230	400	1150

Ventil-Schlüssel
Stainless Valve Wrench




ITEM CODE	SPECIFICATION		N.W. (g)
	K(mm)	L(mm)	
ST8125-30	30	200	280
ST8125-35	35	250	360
ST8125-40	40	300	470
ST8125-45	45	350	520
ST8125-50	50	400	800
ST8125-55	55	450	940
ST8125-60	60	500	1180
ST8125-65	65	550	1320
ST8125-70	70	600	1500
ST8125-75	75	650	1600
ST8125-80	80	700	1700
ST8125-85	85	750	2250
ST8125-90	90	800	2450
ST8125-95	95	850	2550
ST8125-100	100	900	2650

Ventil-Schlüssel
Stainless Valve Wrench




ART.NR.	SPECIFICATION			N.W. (g)
	K(mm)	L(mm)	H(mm)	
ST8126-30	30	200	46	265
ST8126-35	35	250	52	375
ST8126-40	40	300	54	450
ST8126-45	45	350	60	585
ST8126-50	50	400	68	740
ST8126-55	55	450	74	830
ST8126-60	60	500	80	1200
ST8126-65	65	550	85	1280
ST8126-70	70	600	88	1380
ST8126-75	75	650	95	1650
ST8126-80	80	700	100	1870
ST8126-85	85	750	100	2090
ST8126-90	90	800	107	2310
ST8126-95	95	900	112	2980
ST8126-100	100	1000	117	3330

Faßschlüssel
Stainless Wrench,Bung




ART.NR.	SPECIFICATION		N.W. (g)
	L(mm)	H(mm)	
ST8127-1002	300	70	630

Stainless Wrench, Bung




ITEM CODE	SPECIFICATION			N.W. (g)
	L(mm)	H1(mm)	H2(mm)	
ST8128-1002	350	70	95	1165

Stainless Wrench, Bung



ITEM CODE	SPECIFICATION			N.W. (g)
	L(mm)	H1(mm)	H2(mm)	
ST8129-1002	385	93	61	1250

Knarre
Stainless Ratchet Wrench



ART.NR.	SPECIFICATION			N.W. (g)
	L(mm)	S1(mm)	S2(mm)	
ST8130-1417	280	14	17	410
ST8130-1719	310	17	19	450
ST8130-1922	345	19	22	530
ST8130-2224	365	22	24	680
ST8130-2427	380	24	27	860
ST8130-2730	400	27	30	990
ST8130-3032	400	30	32	1025
ST8130-3236	450	32	36	1450
ST8130-3641	495	36	41	1860

3-Steckschlüssel
Stainless Cabinet Key



ITEM CODE	SPECIFICATION		N.W. (g)
	S1*(mm)	S2*(mm)	
ST8131-1002	8*9	10	290
ST8131-1004	10*12	14	320
ST8131-1006	11*13	15	350
ST8131-1008	12*14	17	385
ST8131-1010	14*17	19	425

4-Steckschlüssel
Stainless Cabinet Key



ITEM CODE	SPECIFICATION		N.W. (g)
	S1*S2*S3*S4(mm)	L(mm)	
ST8132-1002	17*19*21*23	350	1250
ST8132-1004	17*19*22*24	350	1250

Phillips Schraubendreher
Stainless Phillips Screwdriver




ITEM CODE	SPECIFICATION					N.W. (g)
	L1(inch)	Size	L2(mm)	L3(mm)	Φ(mm)	
ST8202-1002	2	0	50	134	3	35
ST8202-1004	3	1	75	159	4	70
ST8202-1006	4	1	100	205	5	75
ST8202-1008	5	2	125	240	6	100
ST8202-1010	6	2	150	265	6	110
ST8202-1012	8	3	200	327	8	165
ST8202-1014	10	3	250	377	8	185
ST8202-1016	12	4	300	427	9	245
ST8202-1018	14	4	350	477	9	270
ST8202-1020	16	4	400	550	9	295
ST8202-1022	18	4	450	600	9	320

Schlitzschraubendreher
Stainless Slotted Screwdriver




ART.NR.	SPECIFICATION						N.W. (g)
	L1 (inch)	L2 (mm)	L3 (mm)	H (mm)	B (mm)		
ST8201-1002	2	50	134	0.5	3	35	
ST8201-1004	2	50	134	1	4.5	43	
ST8201-1006	3	75	159	0.6	3	35	
ST8201-1008	3	75	159	0.8	4	45	
ST8201-1010	3	75	180	1	5	70	
ST8201-1012	4	100	184	0.8	4	45	
ST8201-1014	4	100	205	1	5	75	
ST8201-1016	4	100	215	1.1	6	85	
ST8201-1018	5	125	240	1.1	6	100	
ST8201-1020	6	150	265	1.1	6	110	
ST8201-1022	6	150	265	1.2	7	125	
ST8201-1024	6	150	277	1.2	8	140	
ST8201-1026	8	200	327	1.2	8	165	
ST8201-1028	10	250	377	1.6	9	185	
ST8201-1030	10	250	377	1.8	11	260	
ST8201-1032	12	300	427	1.6	10	245	
ST8201-1034	12	300	427	1.8	11	290	
ST8201-1036	14	350	477	1.8	11	320	
ST8201-1038	16	400	550	2	12	450	

Schlitzschraubendreher
Stainless Slotted Screwdriver



ITEM CODE	SPECIFICATION				N.W. (g)
	L1(mm)	B(mm)	L2(mm)	L3(mm)	
ST8203-1002	50	3	155	255	255
ST8203-1004	75	4	180	270	270
ST8203-1006	100	5	205	325	325
ST8203-1008	150	6	255	340	340
ST8203-1010	200	8	305	390	390
ST8203-1012	250	9	370	555	555
ST8203-1014	300	10	420	650	650

Phillips Schraubendreher
Stainless Phillips Screwdriver




ITEM CODE	SPECIFICATION				N.W. (g)
	L1(mm)	Size	L2(mm)	L3(mm)	
ST8204-1002	50	0	155	255	255
ST8204-1004	75	1	180	270	270
ST8204-1006	100	1	205	325	325
ST8204-1008	150	2	255	340	340
ST8204-1010	200	3	305	390	390
ST8204-1012	250	3	370	555	555
ST8204-1014	300	4	420	650	650

Schlitzschraubendreher, kurz
Stainless Stubby Screwdriver




ITEM CODE	SPECIFICATION				N.W. (g)
	L1(mm)	B(mm)	L2(mm)	L3(mm)	
ST8205-1002	38	3	85	140	140
ST8205-1004	38	4	85	160	160
ST8205-1006	38	5	85	180	180
ST8205-1008	38	6	85	190	190
ST8205-1010	38	8	85	200	200

Schlitzschraubendreher
Stainless Slotted Screwdriver



ITEM CODE	SPECIFICATION			N.W. (g)
	B(mm)	L1(mm)	L2(mm)	
ST8206-1002	3	50	200	200
ST8206-1004	4	75	215	215
ST8206-1006	5	100	230	230
ST8206-1008	6	150	250	250
ST8206-1010	8	200	370	370
ST8206-1012	10	300	450	450

Phillips Schraubendreher
Stainless Phillips Screwdriver



ITEM CODE	SPECIFICATION			N.W. (g)
	Size	L(mm)	L2(mm)	
ST8207-1002	PH0	50	200	200
ST8207-1004	PH1	75	215	215
ST8207-1006	PH2	150	250	250
ST8207-1008	PH3	200	370	370
ST8207-1010	PH4	300	450	450

6-kant Steckschlüsselschraubendreher
Stainless Hex Nut Driver



ITEM CODE	SPECIFICATION			N.W. (g)
	B(mm)	L1(mm)	L2(mm)	
ST8208-6	6	90	240	240
ST8208-8	8	100	245	245
ST8208-10	10	110	255	255
ST8208-12	12	110	280	280
ST8208-14	14	110	300	300
ST8208-17	17	120	330	330
ST8208-19	19	130	360	360
ST8208-22	22	130	380	380

Kombizange
Stainless Pliers, Lineman



ITEM CODE	SPECIFICATION		N.W. (g)
	L(inch)	L(mm)	
ST8301-1002	6	150	180
ST8301-1004	7	175	355
ST8301-1006	8	200	465
ST8301-1008	10	250	550

Kombizange, verstellbar
Stainless Pliers, Adjustable Combination



ITEM CODE	SPECIFICATION				N.W. (g)
	L1(inch)	L2(mm)	K(mm)	L3(mm)	
ST8302-1002	6	150	8	213	213
ST8302-1004	8	200	13	380	380

Seitenschneider
Stainless Pliers, Diagonal Cutting



ART.NR.	SPECIFICATION		N.W. (g)
	L(inch)	L(mm)	
ST8303-1002	6	150	245
ST8303-1004	8	200	410

Spitzzange
Stainless Pliers, Snipe Nose



ITEM CODE	SPECIFICATION			N.W. (g)
	L1(inch)	L2(mm)	K(mm)	
ST8304-1002	6	150	54	190
ST8304-1004	8	200	74	335

Kombizange
Stainless Germany Pliers, combination




ART.NR.	SPECIFICATION		N.W. (g)
	L(mm)	L2(mm)	
ST8301A-08	200	250	325



ART.NR.	SPECIFICATION	N.W. (g)
STAINLESS	L(mm)	STAINLESS
ST8301B-08	190	295



ART.NR.	SPECIFICATION	N.W. (g)
STAINLESS	Size(inch) L(mm) D(mm)	STAINLESS
ST8307-1002	10 225 40	480



ART.NR.	SPECIFICATION	N.W. (g)
STAINLESS	L(mm)	STAINLESS
ST8311-1002	150	250
ST8311-1004	180	370
ST8311-1006	200	420



ART.NR.	SPECIFICATION	N.W. (g)
STAINLESS	L(mm)	STAINLESS
ST8304A-08	200	190



ART.NR.	SPECIFICATION	N.W. (g)
STAINLESS	L(mm)	STAINLESS
ST8308-1002	150	30
ST8308-1004	200	50



ART.NR.	SPECIFICATION	N.W. (g)
STAINLESS	L(mm)	STAINLESS
ST8312-1002	165	185
ST8312-1004	178	210
ST8312-1006	200	230



ART.NR.	SPECIFICATION	N.W. (g)
STAINLESS	L(mm)	STAINLESS
ST8304B-09	220	295



ART.NR.	SPECIFICATION	N.W. (g)
STAINLESS	L(mm)	STAINLESS
ST8309-1002	120	35
ST8309-1004	140	40
ST8309-1006	160	50
ST8309-1008	180	60
ST8309-1010	200	70



ART.NR.	SPECIFICATION	N.W. (g)
STAINLESS	L(mm)	STAINLESS
ST8313-1002	180	280



ART.NR.	SPECIFICATION	N.W. (g)
STAINLESS	L(inch) L(mm) Kmax(mm)	STAINLESS
ST8305-1002	10 250 32	365



ART.NR.	SPECIFICATION	N.W. (g)
STAINLESS	L(mm)	STAINLESS
ST8314-1002	200	280



ART.NR.	SPECIFICATION	N.W. (g)
STAINLESS	L(inch) L(mm)	STAINLESS
ST8306-1002	8 200	225

ART.NR.	SPECIFICATION	N.W. (g)
STAINLESS	L(mm)	STAINLESS
ST8310-1002	100	15
ST8310-1004	120	19
ST8310-1006	140	22
ST8310-1008	160	25
ST8310-1010	180	28
ST8310-1012	200	35
ST8310-1014	250	45
ST8310-1016	300	55



ART.NR.	SPECIFICATION	N.W. (g)
STAINLESS	L(mm)	STAINLESS
ST8315-1002	190	310



ART.NR.	SPECIFICATION	N.W. (g)
STAINLESS	H(g) L(mm)	STAINLESS
ST8402-1002	250 280	400
ST8402-1004	300 280	460



ART.NR.	SPECIFICATION	N.W. (g)
STAINLESS	H(g) L(mm)	STAINLESS
ST8404-1002	150 280	270
ST8404-1004	250 280	345



ART.NR.	SPECIFICATION	N.W. (g)
STAINLESS	L(mm)	STAINLESS
ST8317-1002	165	220
ST8317-1004	250	435
ST8317-1006	300	700



ART.NR.	SPECIFICATION	N.W. (g)
STAINLESS	H(g) L(mm)	STAINLESS
ST8403-1002	500 310	500
ST8403-1004	1000 340	1000
ST8403-1006	1500 400	1500
ST8403-1008	2000 400	2000



ART.NR.	SPECIFICATION	N.W. (g)
STAINLESS	H(g) L(mm)	STAINLESS
ST8405-1002	150 280	270
ST8405-1004	300 280	420



ART.NR.	SPECIFICATION	N.W. (g)
STAINLESS	H(g) L(mm)	STAINLESS
ST8401-1002	230 280	340
ST8401-1004	340 280	450
ST8401-1006	450 310	680
ST8401-1008	680 340	910
ST8401-1010	910 350	1130
ST8401-1012	1130 400	1400



ART.NR.	SPECIFICATION	N.W. (g)
STAINLESS	H(g)	STAINLESS
ST8403A-1002	150	1350
ST8403A-1004	200	2500



ART.NR.	SPECIFICATION	N.W. (g)
STAINLESS	H(g) L(mm)	STAINLESS
ST8406-1002	230 280	405
ST8406-1004	450 300	652
ST8406-1006	680 330	953



ART.NR.	SPECIFICATION	N.W. (g)
STAINLESS	H(g) L(mm)	STAINLESS
ST8401A-1002	230 220	650
ST8401A-1004	340 220	770
ST8401A-1006	450 245	1080
ST8401A-1008	680 280	1450



ITEM CODE	SPECIFICATION	N.W. (g)
STAINLESS	H(g) L(mm)	STAINLESS
ST8403B-1002	250 220	500
ST8403B-1004	500 240	900
ST8403B-1006	750 280	1300
ST8403B-1008	400 240	800



ART.NR.	SPECIFICATION	N.W. (g)
STAINLESS	H(g) L(mm)	STAINLESS
ST8408-1002	500 310	500
ST8408-1004	1000 400	1000
ST8408-1006	1500 400	1500
ST8408-1008	2000 400	2000

Fäustel
Stainless Hammer, Sledge



ART.NR.	SPECIFICATION	N.W. (g)
STAINLESS	Size(g)	L(mm)
ST8407-1002	450	310
ST8407-1004	1000	400
ST8407-1006	1400	400
ST8407-1008	1500	400
ST8407-1010	1800	400
ST8407-1012	2000	400
ST8407-1014	2200	400
ST8407-1016	2500	700
ST8407-1018	2700	700

Schaufel
Stainless Shovel, Square



ART.NR.	SPECIFICATION	N.W. (g)
STAINLESS	L(mm)	B(mm)
ST8409-1002	1400	175
ST8409-1004	1450	240

Schaufel
Stainless Shovel, Round Point



ART.NR.	SPECIFICATION	N.W. (g)
STAINLESS	L(mm)	B(mm)
ST8410-1002	1450	240

Hammer
Stainless Hammer



ART.NR.	SPECIFICATION	N.W. (g)
STAINLESS	Size(g)	L(mm)
ST8411-1002	250	300

Hammer
Stainless Club Hammer



ART.NR.	SPECIFICATION	N.W. (g)
STAINLESS	Size(lb)	L(mm)
ST8412-1002	2	340
ST8412-1004	4	400

Nylon-Hammer
Stainless Nylon Hammer



ART.NR.	SPECIFICATION	N.W. (g)
STAINLESS	Size(g)	L(mm)
ST8413-1002	800	350
ST8413-1004	1000	400

Nylon-Hammer
Stainless Nylon Hammer




ART.NR.	SPECIFICATION	N.W. (g)
STAINLESS	Size(g)	L(mm)
ST8413A-1002	150	350
ST8413A-1004	250	500
ST8413A-1006	350	700
ST8413A-1008	500	900

Gelenk
Stainless Universal Joint



ART.NR.	SPECIFICATION	N.W. (g)
STAINLESS	C(inch)	L(mm)
ST8504-1002	1/2	80
ST8504-1004	3/4	110
ST8504-1006	1	132

T-Griff, verstellbar
Stainless Sliding T Handle




ART.NR.	SPECIFICATION	N.W. (g)
STAINLESS	C(inch)	L(mm)
ST8505-1002	1/2	250
ST8505-1004	3/4	350
ST8505-1006	3/4	400
ST8505-1008	1	400

Steckschlüssel-Einsatz 1/2"
Stainless Socket(1/2")



ART.NR.	SPECIFICATION	N.W. (g)
STAINLESS	Size(mm)	L(mm)
ST8501-6	6	40
ST8501-7	7	40
ST8501-8	8	40
ST8501-9	9	40
ST8501-10	10	40
ST8501-11	11	40
ST8501-12	12	40
ST8501-13	13	40
ST8501-14	14	40
ST8501-15	15	40
ST8501-16	16	40
ST8501-17	17	40
ST8501-18	18	42
ST8501-19	19	42
ST8501-20	20	42
ST8501-21	21	43
ST8501-22	22	43
ST8501-23	23	43
ST8501-24	24	43
ST8501-25	25	43
ST8501-26	26	43
ST8501-27	27	46
ST8501-28	28	46
ST8501-29	29	46
ST8501-30	30	46
ST8501-32	32	46

Steckschlüsseinsatz 3/8"
Stainless Socket(3/8")




ART.NR.	SPECIFICATION	N.W. (g)
STAINLESS	S(mm)	L(mm)
ST8502-5	5	28
ST8502-5.5	5.5	28
ST8502-6	6	28
ST8502-7	7	28
ST8502-8	8	28
ST8502-9	9	28
ST8502-10	10	32
ST8502-11	11	32
ST8502-12	12	32
ST8502-13	13	32
ST8502-14	14	32
ST8502-15	15	32
ST8502-16	16	32
ST8502-17	17	32
ST8502-19	19	32
ST8502-20	20	32

Steckschlüsseinsatz 3/4"
Stainless Socket(3/4")




ART.NR.	SPECIFICATION	N.W. (g)
STAINLESS	S(mm)	L(mm)
ST8503-17	17	50
ST8503-19	19	50
ST8503-21	21	55
ST8503-22	22	55
ST8503-24	24	55
ST8503-26	26	55
ST8503-27	27	55
ST8503-29	29	55
ST8503-30	30	60
ST8503-32	32	60
ST8503-34	34	60
ST8503-35	35	60
ST8503-36	36	60
ST8503-38	38	60
ST8503-41	41	65
ST8503-46	46	65
ST8503-50	50	70

Griff
Stainless Hinged Handle




ART.NR.	SPECIFICATION	N.W. (g)
STAINLESS	C(inch)	L(mm)
ST8506-1002	3/8	190
ST8506-1004	1/2	250
ST8506-1006	1/2	320
ST8506-1008	1/2	400
ST8506-1010	3/4	286
ST8506-1012	1	304

Knarre
Stainless Ratchet Wrench




ART.NR.	SPECIFICATION	N.W. (g)
STAINLESS	C(inch)	L(mm)
ST8507-1002	3/8	200
ST8507-1004	1/2	245
ST8507-1006	3/4	320
ST8507-1008	1	550

L-Griff
Stainless Offset Handle



ART.NR.	SPECIFICATION	N.W. (g)
STAINLESS	C(inch)	L(mm)
ST8508-1002	3/8	200
ST8508-1004	1/2	230
ST8508-1006	3/4	280

Kurbel
Stainless Speed Handle



ART.NR.	SPECIFICATION	N.W. (g)
STAINLESS	C(inch)	L(mm)
ST8509-1002	3/8	300
ST8509-1004	1/2	390

Steckschlüssel
Stainless Flex Socket Wrench



ART.NR.	SPECIFICATION	N.W. (g)
STAINLESS	Si*S _d (mm)	L(mm)
ST8510-1002	8*9	200
ST8510-1004	10*11	210
ST8510-1006	12*13	230
ST8510-1008	14*15	240
ST8510-1010	16*17	250
ST8510-1012	18*19	270
ST8510-1014	20*22	290
ST8510-1016	21*23	290
ST8510-1018	24*27	330

1/2" Steckschlüssel-Satz, 13-teilig
Stainless 1/2" Dr Socket Set-13pcs



ART.NR.	SPECIFICATION
STAINLESS	
ST8511	Socket 8mm,10mm,11mm,12mm,14mm,17mm,19mm, 22mm,24mm,27mm Ratchet Wrench 245mm Hinged Handle 250mm Tool Case

1/2" Steckschlüssel-Satz, 13 tlg.
Stainless 1/2"Dr Socket Set-17pcs




ART.NR.	SPECIFICATION
STAINLESS	
ST8512	Socket 10mm,11mm,12mm,14mm,17mm,19mm, 22mm,24mm,27mm,30mm,32mm Ratchet Wrench 245mm Sliding T-Handle 250mm Speed Handle 400mm Driver Extension 125mm, 250mm Tool Case

1/2" Steckschlüssel-Satz, 24-tlg.
Stainless 1/2" Dr Socket Set-24pcs



ART.NR.	SPECIFICATION	N.W. (g)
STAINLESS		STAINLESS
ST8513	Socket	
	10mm,11mm,12mm,13mm,14mm,15mm, 16mm,17mm,18mm,19mm,20mm,21mm, 22mm,23mm,24mm,27mm,30mm,32mm	
	Ratchet Wrench 245mm	
	Sliding T-Handle 250mm	
	Speed Handle 400mm	
	Driver Extension 125mm,250mm	
	Universal Joint 80mm	
	Tool Case	

6-kant-L-Schlüssel
Stainless Wrench, Socket L-Type




ART.NR.	SPECIFICATION	N.W. (g)
STAINLESS	S(mm) L(mm)	STAINLESS
ST8514-6	6 102	60
ST8514-8	8 114	95
ST8514-10	10 129	135
ST8514-12	12 144	180
ST8514-14	14 160	245
ST8514-17	17 187	365
ST8514-19	19 204	525
ST8514-22	22 230	700

Messer
Stainless Knife,Common




ART.NR.	SPECIFICATION	N.W. (g)
STAINLESS	L ₁ (mm) L ₂ (mm)	STAINLESS
ST8601-1002	80 190	75
ST8601-1004	137 250	95

Spachtel
Stainless Knife,Putty



ART.NR.	SPECIFICATION	N.W. (g)
STAINLESS	K(mm) L ₁ (mm) L ₂ (mm)	STAINLESS
ST8602-1002	25 90 200	75
ST8602-1004	40 90 200	95
ST8602-1006	50 90 200	105
ST8602-1008	65 90 200	115

Brechstange
Stainless Bar,Pinch




ART.NR.	SPECIFICATION	N.W. (g)
STAINLESS	L(mm) Φ(mm) B(mm)	STAINLESS
ST8603-1002	500 16 16	800
ST8603-1004	500 18 18	1050
ST8603-1006	500 20 20	1300
ST8603-1008	500 22 22	1570
ST8603-1010	600 25 25	2350
ST8603-1012	800 25 25	3250
ST8603-1014	1000 30 30	5600

Flachmeißel
Stainless Chisel,Flat



ART.NR.	SPECIFICATION	N.W. (g)
STAINLESS	L(mm) Φ(mm) B(mm)	STAINLESS
ST8604-1002	160 14 14	175
ST8604-1004	160 16 16	231
ST8604-1006	160 18 18	295
ST8604-1008	200 18 18	382
ST8604-1010	200 20 20	473
ST8604-1012	250 24 24	822
ST8604-1014	300 24 24	1025
ST8604-1016	300 25 25	1302
ST8604-1018	400 25 25	1502
ST8604-1020	500 25 25	1903
ST8604-1022	500 30 30	2730

Keil
Stainless Wedge,Flange



ART.NR.	SPECIFICATION	N.W. (g)
STAINLESS	L(mm) B(mm) H(mm)	STAINLESS
ST8605-1002	80 13 6	25
ST8605-1004	100 50 10	201
ST8605-1006	135 50 18	497
ST8605-1008	150 40 8	200
ST8605-1010	150 25 8	122
ST8605-1012	150 25 13	205
ST8605-1014	150 50 13	400
ST8605-1016	180 32 13	305
ST8605-1018	180 50 19	700
ST8605-1020	200 20 30	490
ST8605-1022	200 30 30	740
ST8605-1024	200 40 40	1315
ST8605-1026	200 50 12	500
ST8605-1028	230 40 20	751
ST8605-1030	250 40 30	1230
ST8605-1032	300 50 40	2460

Nadel
Stainless Hearing Needle



ART.NR.	SPECIFICATION	N.W. (g)
STAINLESS	L(mm) Φ(mm)	STAINLESS
ST8606-1002	250 6	85
ST8606-1004	300 8	150
ST8606-1006	400 7	160
ST8606-1008	500 10	335
ST8606-1010	1000 10	650
ST8606-1012	800 10	525
ST8606-1014	500 8	220

Eimer
Stainless Bucket



ART.NR.	SPECIFICATION	N.W. (g)
STAINLESS	Size(L) H(mm)	STAINLESS
ST8607-1002	15 280	2000

Eimer
Stainless Bucket



ART.NR.	SPECIFICATION	N.W. (g)
STAINLESS	Size(L) L(mm)	STAINLESS
ST8608-1002	10 250	1200
ST8608-1004	15 280	1550

Trichter
Stainless Oil Funnel



ART.NR.	SPECIFICATION	N.W. (g)
STAINLESS	Φ(mm) H(mm)	STAINLESS
ST8609-1002	160 130	260
ST8609-1004	160 150	280

Kanister
Stainless Bucket



ART.NR.	SPECIFICATION	N.W. (g)
STAINLESS	Size(L) H(mm)	STAINLESS
ST8610-1002	10 300	1680

Schöpföffel, Öl
Stainless Oil Dipper



ART.NR.	SPECIFICATION	N.W. (g)
STAINLESS	Φ(mm) L(mm)	STAINLESS
ST8611-1002	85 350	163

Ölpumpe
Stainless Portable Oil Pump



ART.NR.	SPECIFICATION	N.W. (g)
STAINLESS	Φ(mm) L(mm)	STAINLESS
ST8612-1002	165 1100	2315

Kehrschaufel
Stainless Dustpan



ART.NR.	SPECIFICATION	N.W. (g)
STAINLESS	L(mm) B(mm) H(mm)	STAINLESS
ST8613-1002	150 130 20	130
ST8613-1004	200 200 50	335
ST8613-1006	270 250 50	635

Sägebügel
Stainless Hacksaw



ART.NR.	SPECIFICATION	N.W. (g)
STAINLESS	L(mm)	STAINLESS
ST8617-1002	470	800

Ölpumpe, manuell
Stainless Manual Portable Oil Pump



ART.NR.	SPECIFICATION	N.W. (g)
STAINLESS	L(mm)	STAINLESS
ST8614-1002	1350	3500

Erdungsposten
Stainless Releasing Static Device



ART.NR.	SPECIFICATION	N.W. (g)
STAINLESS	L(mm)	STAINLESS
ST8615-1002	1000	2000

C-Klemme
Stainless C Clamps



ART.NR.	SPECIFICATION	N.W. (g)
STAINLESS	S(mm)	STAINLESS
ST8616-1002	50	900
ST8616-1004	75	1100
ST8616-1006	100	1400
ST8616-1008	150	2000
ST8616-1010	200	2700
ST8616-1012	250	3500
ST8616-1014	300	4300